

US PRODUCT SHEET

# VERSAILLES OVALE



Non contractual picture

AAE VERSAILLES OVALE US FP



Alain Ellouz  
.paris



<b>Type</b>	Chandelier Equipped with UL listed components
<b>Environment</b>	Indoor
<b>Material</b>	Crystals 5,9" x 4" and steel
<b>Suspension system</b>	Ceiling plate or false ceiling system and metal rod Ø 1" Overall drop : min h. 14"- max h. 84,8"
<b>Lighting system</b>	LED Strip 2,9W/ft (2700K or 3000K) - Dimmable intensity Remote transformer (concealed option upon request)
<b>Voltage</b>	24 V : transformer provided
<b>Wattage / Lumens</b>	VERSAILLES OVALE 80 : 20 W / 630 lm VERSAILLES OVALE 100 : 28 W / 870 lm VERSAILLES OVALE 120 : 35 W / 1135 lm VERSAILLES OVALE 150 : 40 W / 1360 lm

## References

	VERSAILLES OVALE 80	VERSAILLES OVALE 100	VERSAILLES OVALE 120	VERSAILLES OVALE 150
Polished gold	COL-0469	COL-0398	COL-0457	COL-0463
Antique brass	COL-0471	COL-0452	COL-0459	COL-0465
Polished stainless steel	COL-0473	COL-0454	COL-0461	COL-0467



## Dimensions :

VERSAILLES OVALE 80





**Weight :** 55,1 lb / 25 Kg

VERSAILLES OVALE 100





66,1 lb / 30 Kg

VERSAILLES OVALE 120



110,2 lb / 50 Kg

VERSAILLES OVALE 150




132,3 lb / 60 Kg

## FIXING SYSTEMS AND FINISHES


- **HIDDEN INDIVIDUAL FIXING**

System adapted to false ceilings for an aspect without a visible fixation (the rod comes out directly from the ceiling). The hole in the false ceiling can be finished with an eyelet .

VERSAILLES OVALE 80/100




VERSAILLES OVALE 120/150




- **VERSAILLES CANOPY**

Individual ceiling fixing.

VERSAILLES OVALE 80/100  
Ø 7,9"W x 1"H



VERSAILLES OVALE 120/150  
29,5"L x 5,5"W x 1,26"H



- **RODS AND CANOPY FINISHES**

**Metal plating finish :**



Antique brass  
ref : dcl-005



Golden polish  
ref : dcl-010

**Metal finish :**



Polished stainless steel  
ref : dcl-003